
## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



6/12/61



### PRICE LIST

OF THE

# BLOODGOOD NURSERIES

DEPT. OF AMERICAN NURSERY CO.

FLUSHING, L. I., N. Y.


Freight and Passenger Station: Broadway L. I., N. Y., North Shore Div. L. I. R. R.

Post Office and Express Station: FLUSHING, N.Y.

Quotations herein are for nurserymen and dealers only. Terms cash except by agreement otherwise. Packing will be done in bales or boxes, for which service a charge will be made to cover cost of material and labor only. After packing, free delivery will be made to our R. R. here, which is part of the Pennsylvania R. R.

After delivery to carriers, goods travel at purchaser's risk and expense. All complaints should be made on receipt of the

goods, and will then be given due consideration.
Our nurseries are inspected annually, and a State certificate accompanies each shipment.



#### **DECIDUOUS TREES**

Our Japan Maples trees are of much better grade than those usually offered. All are grafted and are of intense and constant color. Nearly all were transplanted last Spring and are in best possible condition.

	Each	Per 100
ACER Japonicum aureum, 2–2½ ft		\$ 75 00
Polymorphum, extra, 2–3 ft	1 00 50	
" 3–4 ft	75	
" Atropurpureum, 2 ft	1 00	75 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1 25	100 00
$3-3\frac{1}{2}$ 16	1 75	150 00
" " 3½-4 ft " nigrum, 2 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	75 00
" 2½-3 ft	1 25	100 00
" 3–3½ ft	1 75	150 00
" 3½-4 ft	2 00	100 00
dissectum, $1\frac{1}{2}$ -2 ft	$\begin{array}{ccc} 1 & 25 \\ 1 & 75 \end{array}$	100 00
" atro-diss., $1\frac{1}{2}$ -2 ft	$\begin{array}{c} 1 & 75 \\ 1 & 25 \end{array}$	100 00
" 2–3 ft	1 75	100 00
" reticulatum, 2 ft	1 25	
NATIVE AND OTHER SHADE TREES—		
ACER colchicum rubrum, 8–9 ft	50	00 00
dasycarpum, $10 \text{ ft.}$ , $1\frac{1}{4} \text{ in } \dots$ 10-12 ft., $1\frac{1}{2} \text{ in } \dots$	35 50	30 00 40 00
Pennsylvanicum, 5–7 ft	50	40,00
Platanoides, 8–9 ft	60	50 00
" 1½ in	75	70 00
1% in	1 00	
$2 \text{ in} \dots \dots$	$\begin{array}{ccc} 1 & 25 \\ 2 & 00 \end{array}$	
" globosa, 6–7 ft	1 00	
" Schwedleri, 5- 6 ft	40	
" 8–10 ft	75	
" 2 in	$\begin{array}{c} 1 & 50 \\ 40 \end{array}$	
" $1\frac{1}{2}$ in	75	
" " 1 <sup>3</sup> / <sub>4</sub> in	1 00	
" saccharum, 10–12 ft., 1 ¼ in	60	50 00
13/4 in	1 00	
	$\begin{array}{ccc} 1 & 25 \\ 2 & 00 \end{array}$	
Tartarica Ginnala, 3–4 ft	25	30 00
AESCULUS hippocastanum, 5-7 ft., 11/4 in	40	35 00
$6-8 \text{ tt.}, 1\frac{1}{2} \text{ in } \dots$	60	40 00
" $8-9  \text{ft.},  1\frac{3}{4}  \text{in}  \dots$ " $9-10  \text{ft.},  2\frac{1}{2}  \text{in}  \dots$	$\begin{array}{c} 75 \\ 150 \end{array}$	65 00
" rubicunda, fl. pl., 5–7 ft.	60	
" 6-8 ft	1 00	
ANDROMEDA—See Shrubs.		( A)
ARALIA spinosa, 4–5 ft	20	15 00
" 5–7 ft	25	20 00
% 8–10 ft	, 30	25 00

		-
	Each	Per 100
BETULA alba, 4–6 ft	\$ 20 \$	12 00
" 10–12 ft., 1¾ in	50	
" laciniata, 3-5 ft	-35	25 00
" 6–7 ft	50	
" 7–8 ft	75	
pyramidalis, 4–6 ft	50	
Youngi, 5-6 ft	75	
" 7–10 ft	1 00	
lenta, 6–8 ft	30	
nigra, 2–3 in	60	50 00
papyrifera, 8–9 ft	40	35 00
CASTANEA Japonica, 5–6 ft	40	
CATALPA Bungei, 2 and 3 year tops	75 to	1 00
speciosa, 6–7 ft., 1 ¼ in	20	
" 7–8 ft., 1½ in	25	20 00
" 1¾ in	50	
" 2 in	75	
CERCIDIPHYLLUM Japonica, 2–3 ft	20	15 00
" 3–5 ft	35	
CERCIS—See Shrubs.		
CLADRASTIS tinctoria, 1½ in	60	
" 2 in	1 00	
CORNUS floridus seedlings, 1 yr., \$12 00 per M		1 50
" 2 yrs., trans., \$20 00 per M		3 00
" 2–3 ft	20	15 00
" 3–5 ft	25	20 00
" 5–6 ft	40	35 00
" 6–7 ft	50	40 00
" 7–9 ft	75	
" pendula, 3 ft	50	
" rubra, 2–3 ft	30	25 00
" " 3–4 ft	50	40 00
" 4–5 ft	60	50 00
" 5–6 ft	75	60 00
Kobus, 5–6 ft	1 00	
Mas., 6–8 ft	35	
CORYLUS avellana pendula, 4–5 ft	50	
FAGUS ferruginea, 3–4 ft	35	
" 4–5 ft	50	
" 6–7 ft	60	
Sylvatica, 3–5 ft	25	
" asplenifolia, 2–3 ft	40	
pendula, 3–5 ft	50	
" 5–7 ft	75	
" purpurea, 2–3 ft	30	
" 6–7 ft	50	
" pendula, 5–6 ft	1 00	
Riversi, 3–5 ft	40	
" 5–6 ft	60	
" 6–7 ft	75	1- 00
FRAXINUS Americana, 5–7 ft	20	15 00
" 9–10 ft	35	
Acubæfolia, 10–12 ft	75	
excelsior, 8–10 ft	25	
Dawsoni, 8–10 ft	50	
" $2-2\frac{1}{2}$ in	75	
quadrangulata, 6–8 ft	25	
% 8-10-ft	35	
viridis, 8–10 ft	25	00 00
" 1½ in	40	30 00
GLEDITSCHIA triacanthos, 2–3 ft	15	
GYMNOCLADUS Canadensis, 6–7 ft	35	07.00
HIBISCUS TREES, 4–6 ft	50	35 00
extra heavy, 6-7 ft	60	50 00

	Each	Per 100
HYDRANGEA P. G., trans. trees	\$ 25	1 61 100
JUGLANS, nigra, 8–10 ft	35	
regia, 2-3 ft	$\begin{array}{c} 20 \\ 25 \end{array}$	\$18 00
" 4–5 ft	35	
KOELREUTERIA paniculata, 5ft	30	
" 6–7 ft	35	
LABURNUM 5-6 ft	35 50	30 00
LARIX Europea, 2–3 ft	20	15 00
LIGUSTRUM ovali., $18-20$ in. heads, stem, $2\frac{1}{2}-4$ ft	$\begin{array}{c} 35 \\ 1 \ 00 \end{array}$	75 00
LIQUIDAMBER, 4–5 ft	25	75 00
LIRIODENDRON tulipifera, 8–9 ft.	35	30 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	50 60	40 00 50 00
" 1¾ in	75	60 00
" 2 in	1 00	75 00
MAGNOLIA Alba Superba, Alexandrina, 3-4 ft	1 00	
Soulangeana, 3–4 ft	1 00	
Alexandrina, ( 6-7 ft	2 00	
Speciosa,	2 50	
Conspicua, true, trans., Spring, 1907, 4–5 ft. glauca, 2–3 ft.	50	
Hypoleuca, 4–5 ft	2 00	
purpurea, 3–4 fttripetala, 4–5 ft	75 35	
MORUS Tatarica, 6–7 ft	20	10 00
pendula, 2 yrs	50	
" 3 and 4 yr  PAULOWNIA imperialis, 5–7 ft	75 50	
PAVIA rubra, 6–8 ft	50	
Whitleyi, 6 ft	75	A1736.114
PHELLODENDRON Amurense, Japonicum, 5-7 ft	25	
PLATANUS Orientalis, 1 yr., 1–2 ft., \$10 00 per M		1 50
" 2–3 ft., \$15 00 per M		2 00
" 8-10 ft., 1 1/4 in 1 1/2 in	55 75	$\begin{array}{cccc} 50 & 00 \\ 65 & 00 \end{array}$
POPULUS balsamæa, 2–2½ in	50	00 00
Bolleana, 7–10 ft	35	
" 10–12 ft	$\begin{array}{c} 50 \\ 20 \end{array}$	15 00
" 10–12 ft	35	10 00
fastigiata, 6–8 ft	15	10 00
" 8–10 ft	$\begin{array}{c} 30 \\ 35 \end{array}$	$\begin{array}{cccc} 20 & 00 \\ 25 & 00 \end{array}$
monolifera, 10 ft., 1 1/4 in	25	20 00
" 10–12 ft., 1½ in	35 40	30 00
" 13/4 in		20.00
trifoliata aurea.	25	20 00
PYRUS MALUS Betchels, A-5 ft	35	NIE SE
QUERCUS alba, 5–7 ft	75	
coccinea, 5–7 ft	50	40 00
" 7–8 ft macrocarpa,4–5 ft	$\begin{array}{c} 65 \\ 35 \end{array}$	50 00
palustris, 7–9 ft., 1 ¼ in	60	50 00
" 1½ in	85	80 00
" 13/4 in	$\begin{array}{cccc} 1 & 20 \\ 1 & 25 \end{array}$	$110 \ 00 \ 120 \ 00$
phellos, 3–5 ft	25	20 00

		8
	Each	Per 100
OUERCUS robur concordia, 6-8 ft	\$ 75	
" purpurea, 2–3 ft	75	
" pyramidalis, 6–8 ft	75	A 50 00
rubra, 7–9 ft	60	\$ 50 00
" 1½ in	75 85	
" 1½ in	1 00	
RHUS Osbecki, 10–12 ft	50	
SALISBURIA, 7-8 ft	40	30 00
8–10 ft	60	50 00
10–12 ft., 1½ in	75	60 00
SALIX Babylonica, 5–7 ft	15	12 00
elegantissima, (Thurlowi), 7-8 ft	$\frac{25}{30}$	$\begin{array}{cccc} 15 & 00 \\ 20 & 00 \end{array}$
SOPHORA Japonica 4–5 ft	35	20 00
" pendula	1 00	
TAXODIUM distichum, 3 ft	25	20 00
TILIA Americana, 1 <sup>1</sup> / <sub>4</sub> in	40	35 00
" 1½ in	60	50 00
1% 111	85	$75 00 \\ 100 00$
" 2 in	60	65 00
platyphylla, 1¼ in	40	30 00
9–10 ft., 1½ in	60	50 00
" 1¾ in	. 75	65 00
laciniata, 5–6 ft	75	
tomentosa low branched pyramids, trans. Spring,	0.00	
1906. Fine trees for lawns, $2-2\frac{1}{2}$ in	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
$2\frac{1}{2}$ -3 in tomentosa pendula, 2 in	1 00	
vulgaris (Europaea,)7–8 ft	25	20 00
" 8–9 ft	50	40 00
" 2–2½ in	1 25	100 00
ULMUS Americana, 11/4 in	40	30 00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	50	40 00
" 13/4 in	1 00	70 00 85 00
" 2 in \$3 each	1 00	00 00
montana, Dampferi Wredei, Golden Elm,		
beautiful, 3–4 ft	50	
scabra Camperdowni, 2 and 3 yr., tops	50	
VIBURNUM plicatum, tree form, 3–4 ft	25	
DECIDIONE CHRIDE		
DECIDUOUS SHRUBS.	Each	Per 100
nin1	Each	Tel 100
AMYGDALUS, pink, white,	\$ 20	
ANDROMEDA aborea, 1–1½ ft	15	\$10 00
" 2–3 ft	30	25 00
3–4 ft	35	
ARALIA pentaphylla, 2–3 ft	- 15	
AZALEA arborescens, $1-1\frac{1}{2}$ ft	25.	00.00
calendulacea, 1–1½ ft	25 20-	20 00 18 00
with $\frac{1-1}{2}$ it $\frac{1}{2}$	30	10 00
nudiflora, 1–1½ ft	25	20 00
Pontica, 1–1½ ft	35	
" $1\frac{7}{2}$ -2 ft	40	
" 2-2½ ft	60	
Vaseyi, 1–1½ ft	25 50	
<u> </u>	. 00	

	Each	Per 100
AZALEA viscosa, 1-1½ ft	\$ 20	\$18 00
" 2-2½ ft	50	
"heavy, 4–5 ft  BACCHARIS halimifolia, 4–5 ft	$\begin{array}{c} 1 \ 50 \\ 20 \end{array}$	
BERBERIS illicifolia, 1-1½ ft	15	
Thunbergi, trans., $6-12$ in	05	3 00
" 1–1½ ft	08	6 00
" $1\frac{1}{2}-2$ ft " $2-3$ ft	10 15	$\begin{array}{ccc} 8 & 00 \\ 12 & 00 \end{array}$
" 3-4 ft	20	15 00
vulgaris, 1–1½ ft	10	6 00
" purpurea, 1-1½ ft	10	6 00
CALLICARPA purpurea, $1-1\frac{1}{2}$ ft CALYCANTHUS floridus, $1-1\frac{1}{2}$ ft	15 10	6 00
" 2–3 ft	15	12 00
CARAGANA arborescens, 1–1½ ft	10	6 00
CARYOPTERIS mastacanthus, 1-1 1/2 ft	10	0.00
<b>CEANOTHUS</b> Americanus, 1–1½ ft	10	$\begin{array}{c} 6 & 00 \\ 6 & 00 \end{array}$
CERCIS Canadensis, 3–5 ft	20	15 00
Japonica, 1–2 ft	15	12 00
CHIONANTHUS Virginica, 1–2 ft	15	10 00
" 2–3 ft	20 25	$\begin{array}{cccc} 15 & 00 \\ 20 & 00 \end{array}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	35	25 00
CLETHRA alnifolia, 1–2 ft	10	6 00
" 2–3 ft	12	10 00
" 3-4 ft	$\begin{array}{c} 15 \\ 20 \end{array}$	
CORCHORUS Japonica, 1½-2 ft	12	10 00
" 2–3 ft	15	
" fl. pl., 2–3 ft	12	12 00
" 3–4 ft variegata, 1–1½ ft	$\begin{array}{c} 20 \\ 12 \end{array}$	15 00 10 00
CORNUS alba, 2–3 ft	15	10 00
elegantissima, 1½–2 ft	15	10.00
Spathi aurea, 1½ ft	20	
paniculata, 2–3 ft	10 15	8 00
sericea, 3–4 ft	15	10 00
" 4–6 ft	20	15 00
CORYLUS avellana, 3-4 ft	15	12 00
purpurea, 2–3 ft	$\begin{array}{c} 25 \\ 35 \end{array}$	30 00
CYDONIA Japonica, 1½-2 ft	15	10 00
DAPHNE Mezereum, 6–10 in	20	
" alba, 8–15 in	20	0.00
<b>DEUTZIA</b> crenata, candida, Pride of Rochester, 2–3 ft " " " " " " " " " " " " " " " " " " "	10 12	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
" " " " 4–5 ft	15	12 00
DIERVILLA candida,		
E. Rathke, 2-3 ft	12	10 00
rosea, ) amabalis, )		
candida, { 3-4 ft	15	12 00
Carrieri,		
rosea, 4–5 ft	20	16 00
trifida, 1 ftvariegata, 2–3 ft	$\begin{array}{c} 10 \\ 12 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
ELEAGNUS longipes, 1–2 ft	10	6 00
" 3–4 ft	15	
EUONYMOUS alatus, 2–3 ft	50 10	
Europea, 2–3 ft	15	
		And the same

	Each	Per 100
<b>EXOCHORDA</b> grandiflora, 2–3 ft	. \$ 15	\$12 00
" 3–4 ft	20	15 00
Fortunei,		
FODCYTHIA intermedia		200000
2-3 II	. 10	8 00
suspensa,		
viridissima,		
Fortunei,		
intermedia, \ 3-4 ft	. 15	12 00
viridissima,		12 00
	20	15 00
HALESIA tetraptera, 2–3 ft	20	15 00
" 3–5 ft	25	
HAMAMELIS Virginiana, 1½-2 ft	12	10 00
" 4–5 ft	20	AND A SECT
HIRISCHS named 11/ 9 ft	10	7 00
HIBISCUS named, 1½-2 ft	10	7 00
" 2–3 ft	10	8 00
" 3–4 ft	15	10 00
" 4–6 ft	20	15 00
totus albus 2 ft	15	
		10 00
" " 3–4 ft	20	12 00
Variegata, 1½-2 ft	12	8 00
2-3 ft	15	12 00
" 4–5 ft		12 00
TIDDODII 4 D 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	40	0.00
HIPPOPHAEA rhamnoides, 1–1½ ft	10	6 00
HYDRANGEA arborescens, 2-3 ft	15	
Hortensia, 10–15 in	25	20 00
paniculata grandiflora, 1½-2 ft	08	5 00
paniculata grandinora, 1/2-21t	10	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	10	8 00
" 3–4 ft	15	10 00
quercifolia, 1–2 ft	25	
tardiva, 3-4ft	$\overline{20}$	
HVDEDICIIM	10	10 00
HYPERICUM aureum, 1 ft		10 00
densiflorum, $1\frac{1}{2}-2$ ft	15	12 00
Moserianum, 1–1½ ft	12	10 00
<b>ILEX</b> glabra, 1½–2 ft	25	
ITEA Virginiana, 1–2 ft	10	6 00
		0 00
2–3 ft	15	
LESPEDEZA (Desmodium), 2 yrs.	20	15 00
LIGUSTRUM Ibota, 3 ft	15	
" media prostrata, 3 ft		
Regelianum, 3–4 ft		0.50
ovalifolium, 1½-2 ftper M		2 50
" 2-3 ftper M	. 30 00	3 50
" 3–4 ftper M	. 40 00	5 00
" variegata, 4–5 ft		
		9 00
LINDERA benzoin, 1½-2 ft	10	8 00
2-3 16		10 00
4-016		
LONICERA fragrantissima, 1½-2 ft	08	6 00
2–3 ft	12	10 00
Morrowi, 2–3 ft		8 00 .
MOHOWI, 2-310	10	0 00
Tartarica alba, )		A STATE OF THE STA
rosea, $\begin{cases} 1\frac{1}{2}-2 \text{ ft} \dots \end{cases}$	10	8 00
riihra		
rubra, 3–4 ft	15	
MYRICA cerifera, 1½-2 ft	15	12 00
(1 0 9 ft	10	
" 2–3 ft		15 00
" 3–4 ft	25	20 00
PAVIA machrostachya, 1 ft	35	
PHILADELPHUS coronarius, 2-3 ft	n to the same to the	
111 2-3 ft	12	10 00
0		Service Services
coronarius, )		
grandiflora, \ 3-4 ft	15	12 00
laxus,	100	

DUIT ADEL DUITS coronarius	Each	Per 100
PHILADELPHUS coronarius, laxus, 4-5 ft	\$ 20	,
coronarius, aurea, 1–2 ft	12	\$10 00
$2~{ m ft}$	20	15 00
POTENTILLA fruiticosa, 1½-2 ft	1 10	
PRINOS verticillatus, 2–3 ft	$\frac{15}{15}$	
PYRUS arbutifolia, 2–3 ft	$\frac{15}{25}$	
RHODOTYPUS kerrioides, 2 ft.	$\tilde{10}$	\$ 8 00
" 3–4 ft	$\tilde{1}\tilde{5}$	12 00
" 4–5 ft	20	
RHUS cotinus, 2–3 ft	15	10 00
" atrosanguinea, 2 ft	15	12 00
glabra laciniata, $1\frac{1}{2}$ -2 fttyphina laciniata, 1-2 ft	$\begin{array}{c} 15 \\ 10 \end{array}$	
" 2–3 ft	15	
" 3–5 ft	$\frac{10}{20}$	
		0.00
RIBES aureum, sanguineum, 2-3 ft	10	8 00
aureum, 3-4 ft	15	
Gordonianum, )		
ROSA Caroliniana, 1½-2 ft	. 10	0 00
multiflora, $2-3$ ft	$10 \\ 10$	8 00
" 2-3 ft	15	$\begin{array}{c} 8 & 00 \\ 10 & 00 \end{array}$
" 3–4 ft	$\frac{10}{20}$	15 00
" alba, $1\frac{1}{2}$ -2 ft	$ec{1}ec{5}$	10 00
" 2–3 ft	20	15 00
" 3–4 ft	25	20 00
rubiginosa, 2–3 ft	10	8 00
3–4 ft	15	10 00
rubrifolia, $1\frac{1}{2}$ ft	$\begin{array}{c} 15 \\ 10 \end{array}$	$\begin{array}{ccc} 12 & 00 \\ 9 & 00 \end{array}$
2-3 ft	12	$\frac{9}{10} \frac{00}{00}$
Wichuraiana, 2 yrs	10	8 00
SAMBUCUS laciniata, 1–2 ft	10	
nigra aurea, 2–3 ft	10	
" 3–4 ft	15	
4-016	20	
SPIRAEA Billardi, 2–3 ft	10	
A. Waterer, $\begin{cases} 1\frac{1}{2}-2 \text{ ft} \dots \end{cases}$	10	8 00
A Waterer.		
Bumalda, $2-2\frac{1}{2}$ ft	. 12	10 00
Callosa alba, )		
Callosa rubra,		
Opulifolia aurea, 2-2½ ft	10	6 00
Rotundifolia, \( \frac{2^{-2}}{2} \) Van Houtei,		
Callosa rosea		
Opulifolio	10	10.00
Rotundifolia, 3–4 ft	12	10 00
Van Houtei		Ç
Callosa rosea,		
Opulifolia aurea, 4–5 ft	15	12 00
Van Houtei,		
Reguesi		4.0
Thunbergi, $\sqrt{2-2\frac{1}{2}}$	12	10 00
Thunbergi, 1½ ft	10	8 00
STEPHANANDRA flexuosa, $1\frac{1}{2}-2$ ft	10	8 00
	12	10 00
" 3–4 ft	18	15 00

CTILADTIA pontograma 2 4 ft	Each	Per 100
STUARTIA pentagyna, 3-4 ft	\$ 25 35	
STYRAX Japonica, 3–5 ft		
SYMPHORICARPUS racemosus, 2–3 ft		\$10 00
vulgaris, 2–3 ft	$\tilde{10}$	8. 00
3-4 ft	12	10 00
SYMPLOCOS crætageoides, 4–6 ft	35	
SYRINGA Japonica.		
Persica alba, $3\frac{1}{2}-4\frac{1}{2}$ ft	$\sim 25$	$20 \ 00$
Rothamagensis,		20.00
Villosa, 4–5 ft	$\sim$ 25	20 00
vulgaris, 2-3 ft	12	10 00
vulgaris alba, )		
vulgaris, 3-4 ft	15	12 00
vulgaris alba, )		
vulgaris, } 4-5 ft	25	20 00
vulgaris alba, ( *** Bertha Dammann, )		
"Rubra de Marly, $\rightarrow$ 2-3 ft	. 20	
" Mad. Lemoine,   '" Rubra de Marly, > 2-3 ft	. 20	
" Virginalis,		
6 D i 1 M 1		
"Souv. de Spæth, 3-4 ft	25	
" Virginalis,		
TAMADIY Africano	. 10	0.00
Odessana, { 2-3 ft	10	6 00
Africana.		
Indica, 3-4 ft	. 12	8 00
Odessana,		
Africana, )		
Indica, 4–5 ft	. 15	$10 \ 00$
Odessana,	20	
VIBURNUM acerfolium, 2–3 ft		10.00
cassinoides, 1–1,½ ft	. 15	$\frac{12}{15} \frac{00}{00}$
" $1\frac{r_2}{2}-2 \text{ ft.} \dots$	. 20	15 00
	. 25	18 00
" 3-4 ft	. 10	$\begin{array}{ccc} 8 & 00 \\ 12 & 00 \end{array}$
" 4–5 ft		12 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		12 00
lantanum, 2–3 ft		10 00
" 4–5 ft		$\frac{10}{20} \frac{00}{00}$
molle, 2–3 ft		10 00
3-4 ft		$\frac{10}{12} \frac{00}{00}$
opulis, 2–3 ft	$\tilde{15}$	$\frac{12}{12} \frac{00}{00}$
3–4 ft		15 00
" nana, 10–15 in	. 15	12 00
opulis sterilis, 2–3 ft	. 10	8 00
" " 3–4 ft	. 12	10 00
pyrifolium, 3–4 ft		
rugosum, 2–3 ft		$12 \ 00$
plicatum, 2–3 ft	20	15 00
" 3–4 ft	. \ 25	$20 \ 00$
tomentosum, { 2-3 ft	. 20	
Sieboldi,	. 20	
tomentosum, { 4-5 ft	. 25	
. Dieboidi,		
Sieboldi, 5–7 ft		
VITUS agnus castus, 2–2½ ft		15 00
XANTHOCERAS sorbifolia, 1–1 ½ ft		15 00
XANTHORRHIZA apiifolia, 10–15 in	. 12	10 00

#### VINES

AMPELOPSIS hetrophylla heavy	Each \$ 15	Per 100
quinquefolia, } 2 yr	10	\$ 8 00
Veitchi, X	15	10 00
ARISTOLOCHIA, 3 yrs. BIGNONIA radicans, 2 yrs.	$\begin{array}{c} 25 \\ 10 \end{array}$	8 00
CELASTRUS scandens, 3 yrs	$\begin{array}{c} +15 \\ 25 \end{array}$	12 00
paniculata, 2 yrs	10	8 00
LONICERA Belgica	$\frac{10}{10}$	9 00
Halleana, { reticulata aurea, }  WISTARIA multijuga, 2–3 ft	20	o 00
Sinensis alba, No. 1	$\begin{array}{c} 25 \\ 15 \\ 25 \end{array}$	

#### **EVERGREENS**

All of our Evergreens are 1 and 2 yrs., trans., and in best possible condition, most of them are specimens.

dition, most of them are specimens.	Tr1-	D.,
	Each	Per 100
ABIES concolor, $1\frac{1}{2}-2$ ft	\$1 00	
" 2–3 ft	$2 \ 00$	
" 3–4 ft	3 00	
" violacea, 2–3 ft	$\frac{1}{2} \frac{1}{00}$	
Fraseri, 2–3 ft	$\frac{1}{35}$	\$20 00
" 3–4 ft	50	\$20 00
Nobilis glauca, 2–3 ft		70.00
Nordmaniana, 1½–2 ft., XX	60	50 00
" 2–3 ft., XX	1 00	
5-4 It., AA	150	
4–5 ft.,	$2 \ 00$	
" 5–6 ft.,	$2 \ 50$	
pectinata, 2–3 ft	60	
Veitchi, 2-3 ft	75	
ANDROMEDA florabunda, 1–2 ft	75	
Japonica, 1–2 ft	60	
AZALEA amœna, 6–8 in., trans., \$60 00 per M	, 00	7 00
	35	
" 1ft		$\frac{25}{50} \frac{00}{00}$
10–20 m., A.A	60	50 00
BIOTA Orientalis, 3–4 ft	50	
Berckmans, $1\frac{1}{2}$ ft	50	
	50	
elegantissima, $1\frac{1}{2}-2$ ft	35	
" 2–3 ft	50	
BUXUS bushes, 1 ft	25	20 00
pyramids, 3 ft	$1  \overline{50}$	_0 00
'' 4 ft	$\frac{1}{2} \frac{50}{50}$	
suffruticosa, 3–5 in., per M., \$20 00	2 50	3 00
Suffutionsa, 5-5 m., per M., \$20 00		
" extra 4–6 in., per M., \$40 00	1 05	5 00
CEDRUS Atlantica glauca, 4–5 ft	1 25	
Deodora, $1\frac{1}{2}$ ft	50	
$^{"}$ $2\frac{1}{2}$ ft	1 00	
Libana, $2-2\frac{1}{2}$ ft	$1 \ 50$	
CRYPTOMERIA Lobbi, 7–8 ft	$2 \ 50$	
<b>EUONYMUS</b> radicans, 12–18 in	10	8 00
variegata, 6–12 in	10	8 00
ILEX crenata, 1 ft	$\tilde{15}$	10 00
" 1½-2 ft	$3\overline{5}$	$\frac{10}{25} \frac{00}{00}$
" $2-2\frac{1}{2}$ ft	50	45 00
	75	40 00
" 3-3½ ft	70	

	Each	Per 100
JUNIPERUS communis, 6–12 in	\$ 15 15	\$10 00 10 00
" " 12–15 in	20	10 00
" " " 15–20 in	35	7.00
Hibernica, $1\frac{1}{2}-2$ ft	$\begin{array}{c} 12 \\ 15 \end{array}$	$\begin{array}{ccc} 7 & 00 \\ 12 & 00 \end{array}$
" 3–3½ ft	$\frac{10}{25}$	12,00
Japonica, 1–1½ ft	25 5.0	
" $1\frac{1}{2}-2$ ft	$\begin{array}{c} 50 \\ 75 \end{array}$	
" 2 ft	1 00	
sabina, $1-1\frac{1}{2}$ ft	25 25	
" $1\frac{1}{2}-2$ ft	$\begin{array}{c} 35 \\ 15 \end{array}$	10 00
$1\frac{1}{2}-2$ ft	20	25 00
stricta, 12–15 in	$ \begin{array}{c} 35\\ 35 \end{array} $	25 00
Virginiana, $1-1\frac{1}{2}$ ft	15	$\begin{array}{ccc} 10 & 00 \\ 12 & 00 \end{array}$
" 1½-2 ft	$egin{array}{c} 20 \ 25 \end{array}$	12 00
" 3–3½ ft.,·XX	$\begin{array}{c} 35 \\ 50 \end{array}$	
" globosa, 1½ ft	75	
" Pfitzeri, 3–4 ft., XX pendula, 4–5 ft	$\begin{array}{cc}2&00\\1&25\end{array}$	•
KALMIA latifolia nur grown, 1-1 1/2 ft XX	50	40 00
LEUCOTHOE Catesbæi, 1–1½ ft	$\begin{array}{c} 60 \\ 25 \end{array}$	$\begin{array}{ccc} 50 & 00 \\ 20 & 00 \end{array}$
<b>MAHONIA</b> aquifolia, $1-1\frac{1}{2}$ ft	15	10 00
" 1½-2 ft	$\begin{array}{c} 15 \\ 35 \end{array}$	$\begin{array}{ccc} 12 & 00 \\ 30 & 00 \end{array}$
" 3–3½ ft	50	30 00
Alcockiana, 2–3 ft	$\begin{array}{c} 75 \\ 3 \ 00 \end{array}$	
Englemani, 2–3 ft	1 50	17 00
excelsa, $1\frac{1}{2}$ -2 ft	$\begin{array}{c} 20 \\ 25 \end{array}$	$\begin{array}{ccc} 15 & 00 \\ 20 & 00 \end{array}$
"3–4 ft	50	40 00
" aurea, $2-3$ ft	$\begin{array}{c} 75 \\ 50 \end{array}$	
" inverta, 2–3 ft	75	
" " " 3–4 ft " nigra Doumetti, 2–3 ft	$\begin{array}{c}1 & 00 \\ & 75\end{array}$	
" Mariana, 1½ ft	$\begin{array}{c} 25 \\ 35 \end{array}$	
"	75	
" procumbens, $1\frac{1}{2}$ ft pumila nigra, $1\frac{1}{2}$ ft	75 75	
"Orientalis, $1\frac{1}{2}$ -2 ft., X	<sup>'</sup> 60	50 00
" 2–3 ft	$\begin{array}{cc} 1 & 10 \\ 1 & 50 \end{array}$	100 00
pungens, $1\frac{1}{2}-2$ ft	50	40 00
" 2–3 ft	$\begin{array}{c} 75 \\ 1 \ 00 \end{array}$	65 00
"Blue, better form and nearly as good		
color as Kosteri, $1\frac{1}{2}$ -2 ft $2$ -2 $\frac{1}{2}$ ft	$\begin{array}{cc} 1 & 00 \\ 1 & 50 \end{array}$	
3 ft	3 00	
pungens, Kosteri compacta, 1½-2 ft	$\begin{array}{cc} 1 & 50 \\ 2 & 50 \end{array}$	
" specimens, 3–4 ft	5 00	
" 4–5 ft	6 00	

		Per 100
PICEA pungens Kosteri compacta, 5-6 ft	\$8 00	144
PINUS Austriaca, 1½-2 ft	5 00 25 \$1	20 00
" 2–3 ft		30 00
" 3 ft	50	
cembra, 2–3 ft	60	
" $3-4 \text{ ft}$ excelsus, $1\frac{1}{2}-2 \text{ ft}$	$\begin{array}{ccc} 1 & 25 \\ & 35 \end{array}$	30 00
" 2–3 ft		40 00
Mughus, diameter, $1-1\frac{1}{2}$ ft	35	
" 1½-2 ft	50	
parviflora glauca, 2–3 ftstrobus, 2–3 ft	$\begin{array}{ccc} 1 & 50 \\ & 25 \end{array}$	20 00
" 3–4 ft		40 00
" 4–5 ft	75	
" $5-6$ ft	$\begin{array}{ccc} 1 & 00 \\ & 12 \end{array}$	10 00
PSEUDOTSUGA Douglasi, 2–3 ft		30 00
" 3–4 ft	75	
" 4–5 ft	1 00	
" 5–6 ft	1 50 1 50	
filifera, 1½–2 ft	50	
" specimens, 2–3 ft	1 00	
" aurea spec., 10–15 in	$\begin{array}{c} 1 & 00 \\ 1 & 25 \end{array}$	
obtusa, $2-2\frac{1}{2}$ ft	75	
" 3–4 ft	1 00	
" aurea specimens, $2\frac{1}{2}$ -3 ft	1 25	0.5
" compacta, $1-1\frac{1}{2}$ ft	30 40	25 .00
"gracilis, $2-2\frac{1}{2}$ ft	75	
" aurea, 2–3 ft	1 00	
psifera, 1½-2 ft	30	10 00
" aurea, $1-1\frac{1}{2}$ ft		$     \begin{array}{ccc}       18 & 00 \\       25 & 00     \end{array} $
plumosa, 1-1½ ft		15 00
" $1\frac{1}{2}-2$ ft		25 00
" aurea, 1–1½ ft		15 00
" $1\frac{1}{2}-2$ ft argentea, $2-2\frac{1}{2}$ ft	60	25 00
" squarrosa, 1–1½ ft	25	18 00
" 1½-2 ft	35	
" 2 ft	$\begin{array}{c} 70 \\ 35 \end{array}$	
" $2-2\frac{1}{2}$ ft	70	
<b>RHODODENDRONS</b> hybrids in variety, 1½-2 ft		70 00
" 2-2½ ft		15 00
$2\frac{1}{2}$ — 3 ft maximum, nursery grown, $1\frac{1}{2}$ — 2 ft	1 50 to 2 00 60	50· 00
" 2-2½ ft	75	
" specimens, 4–5 ft	4 00	
SCIADOPYTIS verticillatus, 2-3 ft	3 00 4 00	
" 4–5 ft	6 00	
TAXUS baccata brevifolia, 1½-2 ft	1 00	
" 2½-3 ft	1 25	
" elegans aurea, 12–15 in repandens, 10–15 in	50 50	
" semper aurea, 2–3 ft	3 00	
THUYA Occidentalis, 3 times trans., 1½ ft	. 10	8 00
" $\frac{1}{2}-2$ ft " $\frac{1}{2}-2$ ft	$\begin{array}{c} 12 \\ 20 \end{array}$	$\frac{9}{12} \frac{00}{00}$
" $2-2\frac{1}{2}$ ft		14 00
=/2 U +0	2001	50

	Each	Per 100
THUYA Occidentalis, 3 times trans., 3-4 ft	\$ 35	\$20 00
" 4–5 ft	50	45 00
" compacta, )		A THE STATE OF
" Hoveyi, \ 12-15 i	n 20	15 00
" Siberica, ) compacta,		
"Hoveyi, \\ 15-18 in	1 25	17 00
" lutea (Geo. Peabody). 1	½-2 ft. 45	17 00
	2 ft 60	
a a a	2-3 ft. 70	
pyramidalis, 15–18 in		15 00
2–3 ft	30	
Siberica, 1½-2 ft		
THUYOPSIS Standishi, very hardy, $3-4$ ft		
<b>TSUGA</b> Canadensis, $1\frac{1}{2}$ -2 ft	$\begin{array}{cccc} \dots & 1 & 00 \\ \dots & & 35 \end{array}$	25 00
" 2-2½ ft	50	40 00
" $\overline{2}\frac{1}{2}-3$ ft	60	50 00
" 3–4 ft		70 00
Caroliniensis, 1½–2 ft	50	
YUCCA, 2 yrs		5 00
4 yrs	15	10 00
	ALCOHOLD THE	
ROSES		
	Each	Per 100
DOROTHY PERKINS, 2 yrs	\$ 15	\$10 00
" 3 yrs	20	12 00
HYBRIDS in all colors named		12 00
MOSS		10.00
	10	
RAMBLERS, 2 yrs., No. 1	12	10 00
3 yrs., X	$\begin{array}{ccc} \dots & 12 \\ \dots & 20 \end{array}$	10 00 15 00
TREE, assorted	$\begin{array}{ccc} \dots & 12 \\ \dots & 20 \end{array}$	
3 yrs., X	$\begin{array}{ccc} \dots & 12 \\ \dots & 20 \end{array}$	
3 yrs., X	$\begin{array}{ccc} \dots & 12 \\ \dots & 20 \end{array}$	
3 yrs., X	$\begin{array}{ccc} \dots & & 12 \\ 20 & & & 30 \end{array}$	15 00
3 yrs., X  TREE, assorted  HERBACEOUS		15 00 Per 100
3 yrs., X  TREE, assorted  HERBACEOUS  ACHILLEA ptarmica	Each \$ 10	15 00
3 yrs., X  TREE, assorted  HERBACEOUS  ACHILLEA ptarmica AMSONIA salicifolia ANEMONE alba,	Each \$ 10	15 00 Per 100
3 yrs., X  TREE, assorted  HERBACEOUS  ACHILLEA ptarmica AMSONIA salicifolia ANEMONE alba, Queen Charoltte,	Each \$ 10 10	15 00 Per 100
3 yrs., X  TREE, assorted  HERBACEOUS  ACHILLEA ptarmica AMSONIA salicifolia ANEMONE alba, Queen Charoltte, Whirlwind	Each \$ 10 10	15 00 Per 100
3 yrs., X  TREE, assorted  HERBACEOUS  ACHILLEA ptarmica AMSONIA salicifolia ANEMONE alba, Queen Charoltte, Whirlwind ANTHEMIS tinctoria	Each \$ 10 10 10	15 00 Per 100
3 yrs., X  TREE, assorted  HERBACEOUS  ACHILLEA ptarmica AMSONIA salicifolia ANEMONE alba, Queen Charoltte, Whirlwind  ANTHEMIS tinctoria AQUILEGIA mixed	Each \$ 10 10 10 10	Per 100 \$ 6 00
3 yrs., X  TREE, assorted  HERBACEOUS  ACHILLEA ptarmica AMSONIA salicifolia ANEMONE alba, Queen Charoltte, Whirlwind  ANTHEMIS tinctoria AQUILEGIA mixed ARMERIA maritima.	Each \$ 10 10 10 10 10	Per 100 \$ 6 00
3 yrs., X  TREE, assorted  HERBACEOUS  ACHILLEA ptarmica AMSONIA salicifolia ANEMONE alba, Queen Charoltte, Whirlwind  ANTHEMIS tinctoria AQUILEGIA mixed ARMERIA maritima. ASTER Novæa Anglæa,	Each \$ 10 10 10 10 10	Per 100 \$ 6 00
3 yrs., X  TREE, assorted  HERBACEOUS  ACHILLEA ptarmica AMSONIA salicifolia ANEMONE alba, Queen Charoltte, Whirlwind  ANTHEMIS tinctoria AQUILEGIA mixed ARMERIA maritima ASTER Novæa Anglæa, Tataricus.	Each 10 10 10 10 10 10	Per 100 \$ 6 00
3 yrs., X  TREE, assorted  HERBACEOUS  ACHILLEA ptarmica AMSONIA salicifolia ANEMONE alba, Queen Charoltte, Whirlwind  ANTHEMIS tinctoria AQUILEGIA mixed ARMERIA maritima. ASTER Novæa Anglæa,	Each \$ 10 10 10 10 10 10 10 10 10 10 10 10	Per 100 \$ 6 00
TREE, assorted  HERBACEOUS  ACHILLEA ptarmica AMSONIA salicifolia ANEMONE alba, Queen Charoltte, Whirlwind  ANTHEMIS tinctoria AQUILEGIA mixed ARMERIA maritima. ASTER Novæa Anglæa, Tataricus, ASTILBE Japonica BAMBUSA Metake BETONICA	Each \$ 10	Per 100 \$ 6 00
TREE, assorted  HERBACEOUS  ACHILLEA ptarmica AMSONIA salicifolia ANEMONE alba, Queen Charoltte, Whirlwind  ANTHEMIS tinctoria AQUILEGIA mixed ARMERIA maritima. ASTER Novæa Anglæa, Tataricus, ASTILBE Japonica BAMBUSA Metake BETONICA BOCCONIA cordata	Each \$ 10	Per 100 \$ 6 00
TREE, assorted  HERBACEOUS  ACHILLEA ptarmica AMSONIA salicifolia ANEMONE alba, Queen Charoltte, Whirlwind  ANTHEMIS tinctoria AQUILEGIA mixed ARMERIA maritima ASTER Novæa Anglæa, Tataricus, ASTILBE Japonica BAMBUSA Metake BETONICA BOCCONIA cordata BOLTONIA glastifolia,	Each \$ 10 10 10 10 10 10 15 10 10 10 10 10 10 10 10 10 10 10 10 10	Per 100 \$ 6 00
TREE, assorted  HERBACEOUS  ACHILLEA ptarmica AMSONIA salicifolia ANEMONE alba, Queen Charoltte, Whirlwind  ANTHEMIS tinctoria AQUILEGIA mixed ARMERIA maritima. ASTER Novæa Anglæa, Tataricus, ASTILBE Japonica BAMBUSA Metake BETONICA BOCCONIA cordata BOLTONIA glastifolia, latisquama,	Each \$ 10 10 10 10 15 10 10 10 10 10 10 10 10 10 10 10 10 10	Per 100 \$ 6 00 6 00 5 00
TREE, assorted  HERBACEOUS  ACHILLEA ptarmica AMSONIA salicifolia ANEMONE alba, Queen Charoltte, Whirlwind  ANTHEMIS tinctoria AQUILEGIA mixed ARMERIA maritima ASTER Novæa Anglæa, Tataricus, ASTILBE Japonica BAMBUSA Metake BETONICA BOCCONIA cordata BOLTONIA glastifolia, latisquama, CHRYSANTHEMUM named sorts	Each \$ 10 10 10 10 10 10 10 10 10 10 10 10 10	Per 100 \$ 6 00 6 00
TREE, assorted  HERBACEOUS  ACHILLEA ptarmica AMSONIA salicifolia ANEMONE alba, Queen Charoltte, Whirlwind  ANTHEMIS tinctoria AQUILEGIA mixed ARMERIA maritima ASTER Novæa Anglæa, Tataricus, ASTILBE Japonica BAMBUSA Metake BETONICA BOCCONIA cordata BOLTONIA glastifolia, latisquama, CHRYSANTHEMUM named sorts Shasta Daisy	Each \$ 10 10 10 10 10 10 10 10 10 10 10 10 10	Per 100 \$ 6 00 6 00 5 00 6 00
TREE, assorted  HERBACEOUS  ACHILLEA ptarmica AMSONIA salicifolia ANEMONE alba, Queen Charoltte, Whirlwind  ANTHEMIS tinctoria AQUILEGIA mixed ARMERIA maritima ASTER Novæa Anglæa, Tataricus, ASTILBE Japonica BAMBUSA Metake BETONICA BOCCONIA cordata BOLTONIA glastifolia, latisquama, CHRYSANTHEMUM named sorts	Each \$ 10 10 10 10 10 10 10 10 10 10 10 10 10	Per 100 \$ 6 00 6 00 5 00
TREE, assorted  HERBACEOUS  ACHILLEA ptarmica AMSONIA salicifolia ANEMONE alba, Queen Charoltte, Whirlwind  ANTHEMIS tinctoria AQUILEGIA mixed ARMERIA maritima ASTER Novæa Anglæa, Tataricus, ASTILBE Japonica BAMBUSA Metake BETONICA BOCCONIA cordata BOLTONIA glastifolia, latisquama, CHRYSANTHEMUM named sorts Shasta Daisy CLEMATIS Davidiana	Each \$ 10 10 10 10 10 10 10 10 10 10 10 10 10	Per 100 \$ 6 00 6 00 6 00 6 00
TREE, assorted  HERBACEOUS  ACHILLEA ptarmica AMSONIA salicifolia ANEMONE alba, Queen Charoltte, Whirlwind  ANTHEMIS tinctoria AQUILEGIA mixed ARMERIA maritima ASTER Novæa Anglæa, Tataricus, ASTILBE Japonica BAMBUSA Metake BETONICA BOCCONIA cordata BOLTONIA glastifolia, latisquama, CHRYSANTHEMUM named sorts Shasta Daisy CLEMATIS Davidiana CAMPANULA media, persicifolia CONVALLARIA majalis (divided) COREOPSIS lanceolata	Each \$ 10 10 10 10 10 10 10 10 10 10 10 10 10	Fer 100 \$ 6 00 6 00 6 00 6 00 6 00 4 00 5 00
TREE, assorted  HERBACEOUS  ACHILLEA ptarmica AMSONIA salicifolia ANEMONE alba, Queen Charoltte, Whirlwind  ANTHEMIS tinctoria AQUILEGIA mixed ARMERIA maritima. ASTER Novæa Anglæa, Tataricus, ASTILBE Japonica BAMBUSA Metake BETONICA BOCCONIA cordata. BOLTONIA glastifolia, latisquama, CHRYSANTHEMUM named sorts Shasta Daisy CLEMATIS Davidiana CAMPANULA media, persicifolia CONVALLARIA majalis (divided) COREOPSIS lanceolata. DAHLIAS named	Each \$ 10 10 10 10 10 10 10 10 10 10 10 10 10	Per 100 \$ 6 00 6 00 6 00 6 00 6 00 6 00 4 00
TREE, assorted  HERBACEOUS  ACHILLEA ptarmica AMSONIA salicifolia ANEMONE alba, Queen Charoltte, Whirlwind  ANTHEMIS tinctoria AQUILEGIA mixed ARMERIA maritima ASTER Novæa Anglæa, Tataricus, ASTILBE Japonica BAMBUSA Metake BETONICA BOCCONIA cordata BOLTONIA glastifolia, latisquama, CHRYSANTHEMUM named sorts Shasta Daisy CLEMATIS Davidiana CAMPANULA media, persicifolia CONVALLARIA majalis (divided) COREOPSIS lanceolata	Each \$ 10 10 10 10 10 10 10 10 10 10 10 10 10	Fer 100 \$ 6 00 6 00 6 00 6 00 6 00 4 00 5 00

		-
	Each	Per 100
DICITALIC		
DIGITALIS purple, white, heavy	\$ 10	\$ 6 00
ERYNGIUM planum	10	
EULALIA in variety, (divided)	10	5 00
FUNKIA sub cordata alba	15	
		6 00
GALLARDIA grandiflora	10	6 00
GYPSOPHYLLA paniculata	10	6 00
HELIANTHUS Maximiliana	10	
HELIOPSIS Pitcheriana	10	6 00
THE PROCESS OF THE PROPERTY OF	10	0 00
HEMEROCALLIS flava,  Thunbergi  HIBISCUS militaris,  moscheutos	10	8 00
Thunbergi )		
HIBISCUS militaris,	. 10	
moscheutos	10	6 00
HOLLYHOCK pink, red, salmon, white and yellow	10	6 00
HOLLYHOCK single	10	6 00
IRIS Germanica, 7 varieties named	10	6 00
Kæmpferi, 23 varieties	10	6 00
Orientalis, (intense blue)	10	5 00
LIATRIS	10	6 00
LOBELIA cardinalis	10	6 00
LYCHNIS Chalcedonica	10	6 00
viscaria	10	0 00
		7 00
MONARDA didyma	10	5 00
PAEONIA 1 year transplanted.		
Agida, dark red	15	10 00
Andre Laurie, dark rose, late	08	5 00
Beauty of Francois, clear pink	15	10 00
Canisto, silvery rose	15	
Delachi, red	15	10 00
Duchess de Orleans, rose with violet	15	10 00
		10 00
Duke of Wellington, sulphur white, new	25	
Edulis Superba, soft violet	15	10 00
Emperor, crimson	15	
Esperance, bright pink	15	10 00
Destina Marina maita		
Festiva Maxima, white	25	20 00
Floral Treasure, delicate pink	15	
Formosa, rose	15	10 00
Golden Harvest, yellow	15	
Grandiflora, alba, white	15	
" rubra, red,	15	
Humeyi, pink, late	15	10 00
Lady Bramwell, pink	15	10 00
Lamartine, light pink	15	10 00
		The state of the state of
Lilacea Superba, lilac	15	
Mathilde, rose	15	10 00
Officinalis Rubra, early red	15	
Pottsi, red	15	10 00
Ougan Victoria White		
Queen Victoria, white	15	10 00
Rosea Elegans, rose	15	10 00
Tree, Mouton	75	
Victoria Tricolor	15	10 00
PENTSTEMON barbatus Torreyi	. 10	6 00
DIII OV 1-1-4 1-1-4-		
PHLOX sublata pink and white	10	6 00
decussata, 12 best sorts	10	7 00
PLATYCODON grandiflorum	10	6 00
POTENTILLA formosum	10	
PYRETHRUM mixed double		19 00
	15	12 00
uglinosum	10	5 00
RUDBECKIA laciniata	10	5 00
SALVIA azurea	10	
SEDUM selkianum,		
	10	
spectabans, )		
SPIRAEA palmata elegans	10	
STOKESIA cyanea	10	6 00
		The Marie of

TRADESCANTHIA Virginica, Virginica alba, TRITOMA Pfitzeri, heavy clumps TUNICA saxifraga VERONICA amethystina spicata subsessilis	Each \$ 10 15 10 10 10 10	Per 100 \$ 5 00 10 00
FRUIT TREES		
TROIT TREES	Each	Per 100
APPLE % in., extra	\$ 25	1 Cr 100
1 in., double extra	50	
APRICOTS first class	25	
CHERRY 3/4 in., first class	35	
7/8 in., extra	50	
PEACHES first class	10	\$ 8 00
extra	15	10 00
PEARS dwarf	20	00 00
Standard, ¾ in., first class	25 35	20 00
" % in., extra	35	
"Bartlett and Seckel	50	
PEARS 1 in., and up	50	
PLUMS European and Japan, first class	20	
extra	30	
QUINCE Champion,	25	
Orange,	2.1	
Champion, extra, \(\)	35	
Champion, extra, Orange, " ASPARAGUS 2 yrs		50
ASPARAGUS 2 yrs.		2 00
BLACKBERRY in variety  CURRANTS first class in variety	10	5 00
GOOSEBERRY American varieties	10	8 00
English	15	12 00
GRAPES, 3 vrs., XX	10	6 00
Agawam, Concord, Brighton, Moore's Diamond, M. Early, Niagara, Salem, Worden.		
mond, M. Early, Niagara, Salem, Worden.		
RASPBERRY		2 00
Cuthbert, Golden Queen, Gregg, Kansas,		
Marlboro, Miller.	10	
RHUBARB	10	